

Risk Assessment

Site: COVID-19 Risk Assessment for Mobile Engineers / Hoists Team

No: DOC AFI-RA-C005

Undertaken By: Nigel Stevens, Ian Price

Date: 26th May 2020

Revision: 1

Issue Date: 26th May 2020



Operation:	COVID-19			Persons At Risk:	Mobile Engineers / Hoists Team		
HAZARD	Assessment			CONTROL MEASURES TO REDUCE THE RISK	Re-assessment		
	S	L	R		S	L	R
<p>Transmission of COVID-19 due to handling contaminated substance, transmission to face.</p> <p>Contact with contaminated surfaces, transmission to face.</p> <p>Inhalation of the virus, or passing through the mucous membrane of the eye.</p>	4	3	12	<p>GENERAL</p> <p>If you feel unwell or have an elevated temperature, a new dry cough, loss of taste and smell do not come to work. Seek medical advice and self-isolated.</p> <p>Make sure that you undertake any induction process upon arrival at a customer site. The engineer will comply with any COVID-19 control measure implemented by the customer during their time on site.</p> <p>Whenever possible the engineer will use the same van throughout the COVID-19 period. This will reduce the possibility of spreading the infection.</p> <p>If you do have to change vehicles, you must wipe all cab surfaces down using antibacterial wipes or disinfectant / antibacterial spray and disposable paper towels (steering wheel, door handles, dash controls etc.).</p> <p>Whenever possible avoid carrying passengers in the vehicle. If this is not possible, then both you and the passenger(s) must wear an appropriate rated FFP2/3 face mask. Sanitise all surfaces with antibacterial wipes or disinfectant / antibacterial spray and disposable paper towels before and after the journey, and wash your hands.</p> <p>You must sanitise your van daily before you start work, concentrate on the cab, instrument and van controls. Use antibacterial wipes or disinfectant / antibacterial spray and disposable paper towels.</p> <p>Do not use communal restrooms; eat any food you have in your van.</p> <p>Use your own cups / mugs or disposable cups.</p> <p>You must maintain social distancing at all times whilst on a customer's site (minimum of 2 metres).</p>	4	1	4

Risk Assessment

Site: COVID-19 Risk Assessment for Mobile Engineers / Hoists Team

No: DOC AFI-RA-C005

Undertaken By: Nigel Stevens, Ian Price

Date: 26th May 2020

Revision: 1

Issue Date: 26th May 2020



			<p>When coughing or sneezing cover your mouth and nose with the bend of your elbow or use a disposable tissue. If a tissue is used dispose of it immediately into a bin that closes. If a bin is not available bag the tissue up and dispose of when you return to the depot.</p> <p>Use gloves at all times either disposable vinyl gloves or safety gloves, when not in your van. Ensure you remove your gloves before entering your van.</p> <p>When entering the depot hire desk office, ensure that you abide by the social distancing measures that are put in place.</p> <p>Whilst walking around the yard of the depot, ensure that you maintain social distancing measures at all times (minimum 2 metres apart).</p> <p>If you begin to feel unwell and / or display any of the symptoms of COVID-19 you should contact the hire desk office and inform them. You should go home immediately, do not return to the depot. Once home self-isolate and seek medical advice. Arrangements will be made by the depot reschedule any unfinished tasks.</p> <p>When moving around the site you must keep a 2 meter social distancing between yourself and any other persons.</p> <p>Throughout the day, wash your hand with soap and water as frequently as possible, for at least 20 seconds duration. This includes washing hands on arrival at the site, after rest and toilet breaks, respiratory hygiene, or disposal of tissues / towels etc. Where you do not have access to soap and water use hand sanitiser.</p> <p>If any activity would normally require the wearing of a rated FFP2/3 face mask, then that mask type must still be used. If not, then face coverings can be worn if required.</p> <p>INSTRUCTION SPECIFICALLY FOR HOISTS TEAM</p> <p>Members of the hoists team should travel to the site in separate vehicles. Where this is not possible, the wearing of a rated FFP2/3 face mask must be worn by both driver and passenger(s). Sanitise all surfaces</p>			
--	--	--	---	--	--	--

Risk Assessment

Site: COVID-19 Risk Assessment for Mobile Engineers / Hoists Team

No: DOC AFI-RA-C005

Undertaken By: Nigel Stevens, Ian Price

Date: 26th May 2020

Revision: 1

Issue Date: 26th May 2020



			<p>with antibacterial wipes or disposable / antibacterial spray and disposable paper towels before and after the journey, and wash your hands.</p> <p>You should maintain the 2 metre social distancing where this is possible.</p> <p>When working outside, the possibility of transmission of the virus is greatly reduced.</p> <p>Where you have to enter one of the smaller platforms with a colleague or customer, it will not be possible to maintain social distancing. In these circumstances use a FFP2/3 face mask and eye protection for the time you are in the platform.</p> <p>Do not directly face the other person in the platform.</p>			
--	--	--	---	--	--	--

Risk Assessment

Site: COVID-19 Risk Assessment for Mobile Engineers / Hoists Team

No: DOC AFI-RA-C005

Undertaken By: Nigel Stevens, Ian Price

Date: 26th May 2020

Revision: 1

Issue Date: 26th May 2020

Likelihood →	Likely (5)	Probable (4)	Possible (3)	Unlikely (2)	Very unlikely (1)
↓ Severity					
Death (4)	20	16	12	8	4
Major Injury (3)	15	12	9	6	3
Minor Injury (2)	10	8	6	4	2
No Injury (1)	5	4	3	2	1

KEY:
S = Severity
L = Likelihood
R = Risk rating


High risk
Medium risk
Low risk

PPE Required:

Hard hat	Y
Overalls and boots	Y
Eye / ear protection	As necessary
Suitable gloves	Y
Respiratory equipment	As necessary
Safety harness / adjustable lanyard	Boom type MEWPs

Environmental Risk
Low
Medium
High

AUTHORISED BY NICK HIGGINS, GROUP CHIEF OPERATING OFFICER

Signature: 

Date: 26/05/2020